

Article

Autism Children's App using PECS

Nareena Soomro^{1,*} and Safeullah Soomro²

¹Department of Computing Indus University, Karachi, Pakistan

nareena@indus.edu.pk

²Collage of Computer Studies, AMA International University, Kingdom of Bahrain

s.soomro@amaiu.edu.bh

*Correspondence: nainee_soom@yahoo.com

Received: 10th September 2017; Accepted: 25th November 2017; Published: 1st January 2018

Abstract: Since autistic children suffers from learning disabilities and communication barriers, this research aim to design, develop and evaluate an Android based mobile application (app) providing better learning environment with inclusion of graphical representation in a cost effective manner. This research evaluate various supporting technologies and finds Picture Exchange Communication System (PECS) to be better choice for integrating with the app. Evaluation results reveal that the inclusion of PECS helped the children suffering from Autistic Spectrum Disorder (ASD) to better communicate with others. The study included autistic children who do not speak, who are unintelligible and who are minimally effective communicators with their present communication system. The evolution results showed encouraging impacts of the Autism App in supporting autistic children to adapt to normal life and improve the standard of their life.

Keywords: Autism; Language Learning; Learning Disability; Picture Exchange Communication System (PECS); Android; Mobile Application (apps)

1. Introduction

This research involved design, development and evaluation of an android based app using Picture Exchange Communication System (PECS) for the use of Autistic Spectrum Disorder (ADS) children. Autism is considered as a mental disorder. An autistic child do not tend to speak although the child is competent to spoke. The kid seems to be normal to a stranger, however, only after spending a good amount of time the problem(s) can be noticed. Kids, affected by autism, sometimes get panicked to have conversation and feel shy to speak. This is thus very important to provide the autistic kids with proper training, treatment, attention and care to help them cure. The term "autism" was derived from Greek word "autos" which means "self". Leo Kanner, doctor at Johns Hopkins University, initiated with term in 1940s to describe kid's behaviour which was socially and expressively inhibited [1]. Several investigators and psychotherapists are of the opinion that autism is linked disorder. Early treatment for autism included the use of electronic tremor, and manners change methods, which frequently depend on penalty and aching to change manners. Autism Spectrum Disorder children's and other evolving disabilities suffers from diverse communication difficulties [2]. The dearth variety from shortage of communication skills leads to difficulty in expending symbols and words to interact with another [3]. As part of this research, an android based mobile application (app) [4-6] for autistics children was developed which is aimed to function as an "assistant" to teachers, mentors, carers and doctors to help monitor and treat the autistic kids. The Autism app has used those technologies which is has already been being used for autistic children in hospitals and academia and considered to be useful for developing skills and teaching, such as Picture Exchange Communication System (PECS), certain phases etc. The app also provided the users with progress chart and user function for inclusion of pictures. PECS was established by MS. Lori Frost, Certificate of Clinical Competence/Speech Language Pathologists (CCC/SLP) and in

1984 Dr. Andrew Bondy used it on Delaware Autistic Platform [7-11]. It was used to teach kids with autism abstinence, capability, efficient message system. PECS arise with conversation of uncomplicated imaged but rapidly build sentence construction. The use of PECS and indication semantic to teach autism children to interconnect, was highly opposed by some people at that time because they were of the opinion that these approaches were to hinder the growth of verbal language. However, based on the results of many research and studies, PECS truly helped people grow spoken language, reduce tantrums & strange manners and improved socializing. The Autism app followed certain phases along with progress which are considered to be supportive for teachers as well as for parents. These phases are as follows:

How to Communicate (Phase I): This phase emphasized on difficulties with common association that exists in autistic kids. Large number of children having autism experienced trouble with shared communication [12]. Although impairments in communication within inhabitants differ greatly, pupils study to conversation using particular images for actions.

Discrimination between symbols (Phase II): Students learned to make their picks from dissimilar objects. For instance, students were asked what is their favourite food and to identify apple and orange from two different pictorial cards. Through emblematic composition, the autistic kids were capable to composite actual life story with imaginary component, with knowledge that story was not real [13].

Sentence Structure (Phase III): Learners were trained to make easy sentences pursued by images of different things being appealed.

Answering (Phase IV): PECS was used to response the query, "What do you want?"

Autism App was based on HCI & Usability [14-15] convention and created extremely user friendly environment, interactive functions and attractive graphics and voice at the background behind every picture which might help the kid to speak such as alphabet. PECS is very simple as well as clear and contains Object represented as pictures in the cards that were used to express desire of autistic spectrum disorders (ASD) fatalities. The system was found to be extremely efficient in training essentials of language and assist autistic children to learn to communicate. In this phase, autism spectrum disorder person showed either typical practices in no less than one of the three classes: connection, correspondence, conduct and was normally analysed before the age of three [16]

1.1. Objectives

1. To conduct an expert survey to identify characteristics of the Autism children
2. To design and develop Android based mobile application with User Interface (UI) [17-19], integrated with the PECS, of Autism for children.

2. Autism App System

Authors of this paper conducted a survey study at different institutes, interviewing the trainers, teachers and doctors, distributing questionnaires. The information thus collected was used develop the app. Analysing the interview and survey results, the authors evaluated various development options and selected PECS (Picture Exchange Communication System) to be integrated in the app. PECS, having phases, uses cards to learn alphabets, words and make sentences using them and then move to motion, emotion and then sentence making structure. Audio cues [20-21] are associated with all the cards containing pictures or images. When the kids swipe the card, the cue associated with that card is played to help the kids to listen and learn the word/image of the card. The process learning process using PECS is more efficient when supervised by the parents and teachers (speech therapists).

None of the existing applications, such as [22] and [23], that were evaluated provide instant messaging functionality which has been integrated in our autism App. It provides the better user interfaces compared to other existing solutions. It is very simple and easy to navigate and also easier to

visually analyse as it provides with big pictures on a white background with black text. In most of the existing apps, it is harder to navigate and the pictures are far too small, with words being the primary screen element, which doesn't fit the purpose of the application as the people using the application are more likely to recognize the picture representation. The goals of our Autism App include allowing the background of the application to be changed to make it easier to read, allowing the user to press on the card in order to read aloud the English representation of the card and a picture prediction function that will speed up the selection of symbols.

3. System Architecture

Upon start-up, the application promotes the Login/Registration screen so that the first time users can register and returning users can login. Upon successful login, the app provides with access to the main menu, as shown in Figure 1, which includes: (Single word learning) Pictures can be tapped to listen the words, (PECS Book) system have design communication book that kids learn to create a sentence, (Differentiate) user can drag and match the object getting stars in a progress and (Question/Answer) user can select the option in order to answer the question.




Figure 1. System Architecture

4. Proposed System

One of the options of the Autism App, as shown in Figure 2, is the Learning Single Word with subcategories such as Animals, Food, Colours, Shapes, Fruits, Emotions, Motions and Vegetables. Each subcategory comprises of relevant words with audio cues and pictures to learn by reading, visualising and listening. Using PECS Book functionality, user can select and remove cards to create & listen, make

sentences and select suitable option to go to the next activity. Users can select and remove the suitable cards. Question/Answer requires that user has to select the right option/answer. The users are provided with feedback if they fail to select the right one. Scores are awarded in the form of stars upon selection of the right options/answers. The “Differentiate” activity provides the users to option to select similar or dissimilar ones from an array of objects. User can drag and match the right options/answers and get stars awarded.




Figure 2. Proposed system of Activity

5. Design and Development

Register: The System, as shown in Figure 3a, provides the users the option to register for an account for enrolment. Basic demographic information, creation of username and password etc. are required to get registered using the system. Upon successful validation and verification process of the entered data, the accounts are created.




Figure 3a. Register



Figure 3b. Login



Figure 3c. Main menu

Login: This screen, as shown in Figure 3b, is for the returning users to login to the system. Upon entering valid username and password, the system authenticates and authorises a registered user to use the system and promotes to the main screen loaded with various options/functionality.

Main Menu: The main menu, as shown in Figure 3c, provides with four (4) major features: Single Word learning, PECS book, Differentiate, Question & Answer. Other options include monitoring progress and logging out of the application.

Single Word Learning: This functionality, as shown in Figure 4a, further divides into 6 sub-categories such as Animals, Colours etc. based on relevance and grouping of the words. Each sub-categories has its own pool of pictures and audio cues accordingly e.g. if a user selects shapes, the list of different shape will be shown where user can tap every picture and listen to the audio cue associated with that picture.



Figure 4a. Single word learning




Figure 4b. animals



Figure 4c. Colours




Figure 4d. Shapes

Animals: The animals screen has picture of various animals where user can tap picture and get to listen the word, as shown in Figure 4b.

Colours: It has pictures of different colours where the user can tap the picture and get to listen to the word, as shown in Figure 4c.

Shapes: This screen, as shown in Figure 4d, pictures of different shape where user can tap the picture and get to listened the word.

Foods: The pictures of different food, as shown in Figure 5a, where user can tap the picture and listen to the word and can learn to initiate the basic communication.



Figure 5a. Food




Figure 5b. Fruits



Figure 5c. Emotion



Figure 5d. Motion

Fruits: As shown in Figure 5b, the pictures of different fruits are presented so that the user can tap the picture and listen to the word and can learn to initiate the basic communication.

Emotions: Figure 5c demonstrates the pictures of different food where user can tap the picture and listen to the word and can learn to initiate the basic communication.

Motions: As shown in Figure 5d, this screen contains the pictures of different motions where user can tap the picture and listens the word and can learn to initiate the basic communication.

Vegetables: Figure 6a displays the Vegetables screen comprising of the pictures of different vegetables where user can tap the picture and listen to the word and can learn to initiate the basic communication.



Figure 6a. Vegetables




Figure 6b. PECS Construction book




Figure 6c. Differentiate

PECS Sentence Structure Book: As demonstrated in Figure 6b, this functionality offers the autistic kids to make complete sentences followed by the picture of the item requested. For communication, children will pick multiple pictures from pictures array to create a sentence like I want food, I like to run etc. These requests also include adjectives, verbs and prepositions.

Differentiate: As shown in Figure 6c, the selected picture can be dragged and dropped on the matching blank space. If the selection is correct, the users will be awarded starts as points.

Question and Answers: As shown in Figure 7a, this screen has different questions which have three different Options to choose the right answer from. Figure 7b provides with other options while demonstrating current scores.




Figure 7a. Question and Answers




Figure 7b. Scores

6. Experimental Evaluation of the Prototype Application (App)

While there was enthusiasm for measured the psychology of Autism kids from disordered clinic, it was imperative to conclude if studied of disorder kid should service all-purpose mechanisms. The study included analysis of the responses gained through the all-purpose questionnaires. The aim was to evaluate doctor's gratification for developing an application.

July 2017, the study conducted review of questionnaires directed at unsystematic to entitled doctors and professors from clinical psychology clinics of Campus. Doctors were distributed the questionnaires and asked to response ten assessment queries included in the questionnaire to express their observations.

Although variance in propose content, design and measurement of questionnaires, gave off an impression of being clearly better in expectations. Questions offered to understand the learning process through pictures could be essential and used for the satisfaction evaluation of speech therapists. Therefore survey and questionnaire found to be advantageous, as shown in Figure 8.




Figure 8. Result of the survey regarding the satisfaction

7. Conclusion

The research has significant contributions, in terms of both technology [24-25] and psychology, to advance active learning of the autistic kids. It is to facilitate to enable communication and instinctive among those children who suffers from Autism. Efficiency was established using autism app with kids' parent leading to possible improved household well-being. The result of the evaluation survey reveals positive outcome, satisfactory usability and improved learning capability. Future research will include furthering developing the app, moving from a prototype towards a fully-fledged cloud computing [26-27] based application.

References

- [1] American Psychiatric Association (2013). Diagnostic and statistical manual of mental disorders (5th Edition). Washington, D.C: Author.
- [2] Spence-Cochran, K., & Pearl, C. (2012). Assistive technology to support people with autism spectrum disorders. In D. Zager, M. Wehmeyer, & R. Simpson (Eds), *Educating students with autism spectrum disorders: Research-based principles and practices* (pp. 295-311). New York: Routledge.
- [3] Ogletree, B., Oren, T., & Fischer, M. (2007). Examining effective intervention practices for communication impairment in autism spectrum disorders. *Exceptionality*, 15, 233-247.
- [4] Sajid Khan, Md Al Shayokh, Mahdi H. Miraz, and Monir Bhuiyan, "A Framework for Android Based Shopping Mall Applications" in the proceedings of the International Conference on eBusiness, eCommerce, eManagement, eLearning and eGovernance (IC5E 2014), held at University of Greenwich, London, UK, 30-31 July 2014, pp. 27-32, ISBN-13: 978-81-925233-2-3, DOI: 10.978.819252/12215, Available: <http://edlib.asdf.res.in/2014/ic5e/ic5e2014004.pdf>.
- [5] Monir Bhuiyan, Mahdi H. Miraz, and Sajid Khan "Development Platforms: Android, iOS, Windows Phone, BlackBerry and Symbian", Part #1 of the series "Learn Android: Mobile Application Development and Usability", Computer Barta, vol. 17, no. 7, pp. 110-112, January 2014.
- [6] Mahdi H. Miraz, Sajid Khan, Monir Bhuiyan and Peter Excell, "Mobile Academy: A Ubiquitous Mobile Learning (mLearning) Platform" in the proceedings of the International Conference on eBusiness, eCommerce, eManagement, eLearning and eGovernance (IC5E 2014), held at University of Greenwich, London, UK, 30-31 July 2014, pp. 89-95, ISBN-13: 978-81-925233-2-3, DOI: 10.978.819252/12225, Available: <http://edlib.asdf.res.in/2014/ic5e/ic5e2014014.pdf>.
- [7] Betts, S. W., Betts, D. E., & Gerber-Eckard, L. N. (2007). *Asperger syndrome in the inclusive classroom: Advice and strategies for teachers*. London: Jessica Kingsley Publishers.

- [8] Brock, S. E., Jimerson, S. R., & Hansen, R. L. (2006). Identifying, assessing, and treating autism at school. New York, NY: Springer.
- [9] Charlop-Christy, M. H. et al., 2002. Using the picture exchange communication system (PECS) with children with autism: assessment of PECS acquisition, speech, social-communicative behavior, and problem behavior. *Journal of Applied Behavior Analysis*, 35(3), p. 213–231.
- [10] Neufeld, D., Wolfberg, P. (2009). From novice to expert: Guiding children on the autism spectrum in integrated play groups. In C. E. Schaefer (Ed.), *Play therapy for preschool children* (pp. 277-299). Washington, DC: American Psychological Association.
- [11] Russell, G. & Pavelka, Z., 2013. Co-Occurrence of Developmental Disorders: Children Who Share Symptoms of Autism, Dyslexia and Attention Deficit Hyperactivity Disorder. In: *Recent Advances in Autism Spectrum Disorders*. s.l.:s.n., p. 361.
- [12] Greenspan, S. I., Wieder, S. (2006). Engaging autism. Philadelphia, PA: Da Capo Press. Guernsey, L. (2011). Child-centered play therapy. *International journal of play therapy*, 10, 13-31.
- [13] Morgan, B., Maybery, M., & Durkin, K. (2003). Weak central coherence, poor joint attention, and low verbal ability: Independent deficits in early autism. *Developmental Psychology*, 39(4), 646-656, Available: <http://dx.doi.org/10.1037/0012-1649.39.4.646>
- [14] Mahdi H. Miraz, Maaruf Ali and Peter Excell, "Multilingual Website Usability Analysis Based on an International User Survey" in the proceedings of the fifth international conference on Internet Technologies and Applications (ITA 13) held at Creative and Applied Research for the Digital Society (CARDS), Glyndŵr University in Wrexham, North East Wales, UK, 10-13 September 2013, pp. 236-244, ISBN-10: 0-946881-81-2, ISBN-13: 978-0-946881-81-9, DOI: 10.13140/2.1.1208.8648, Available: <https://www.researchgate.net/publication/259864612>.
- [15] Monir Bhuiyan, Rich Picking, Mahdi H. Miraz, and Md.Emran Hossain, "Usability Analysis of a Gesture Controlled User Interface" in the proceedings of the fourth international conferences on Internet Technologies and Applications (ITA 11) held at Centre for Applied Internet Research (CAIR), Glyndŵr University in Wrexham, North East Wales, UK, 6-9 September 2011, pp. 500-506, ISBN-10: 0946881685, ISBN-13: 978-0946881680.
- [16] Willis, C. (2006). Teaching young children with autism spectrum disorder. Beltsville, MD: Gryphon House, Inc. *Universal Journal of Educational Research* 3(12): 989-996, 2015 <http://www.hrpub.org> DOI: 10.13189/ujer.2015.031206
- [17] Mahdi H. Miraz, Peter Excell, and Maaruf Ali, "User Interface (UI) Design Issues for the Multilingual Users: A Case Study," in the *International Journal of Universal Access in the Information Society*, Print ISSN: 1615-5289, E- ISSN: 1615-5297, August 2016, Vol. 15, No. 3, pp 431-444, Published by Springer-Verlag, DOI: 10.1007/s10209-014-0397-5, Available: <http://link.springer.com/article/10.1007%2Fs10209-014-0397-5>.
- [18] Mahdi H. Miraz, Maaruf Ali, and Peter Excell, "Design for All: Catering for Culturally Diverse Users", in the *International Journal of Computer Science and Information Security (IJCSIS)*, ISSN: 1947-5500, June 2016, Vol. 14, No. 6, pp 516-524, Pittsburgh, PA, USA, Available: https://www.academia.edu/27093639/Design_for_All_Catering_for_Culturally_Diverse_Users.
- [19] Mahdi H. Miraz, Peter Excell, Maaruf Ali and Rich Picking "Cross-Cultural Usability Issues in Web Interaction: Exploration of the Concept of Plasticity of User-Interface Design to Improve M-Learning Usability", Poster presentation at the 3rd Glyndŵr University & Staffordshire University Joint Researcher Development Conference held at Staffordshire University, Stoke-on-Trent, UK, 13th July 2015.
- [20] Mohammed Fakrudeen, Sufian Yousef, and Mahdi H Miraz, "Finger Based Technique (FBT): An Innovative System for Improved Usability for the Blind Users' Dynamic Interaction with Mobile Touch Screen Devices" in the proceedings of the World Congress on Engineering (WCE 2014) held at Imperial College, London, UK, 2-4 July 2014, pp. 128-133, ISBN-13: 978-988-19252-7-5, Print ISSN: 2078-0958, Online ISSN: 2078-0966, Vol. 1, DOI: 10.13140/2.1.4190.7529, Available: http://www.iaeng.org/publication/WCE2014/WCE2014_pp128-133.pdf.
- [21] Mohammed Fakrudeen, Sufian Yousef, Mahdi H. Miraz, and AbdelRahman H. Hussein, "Finger Based Techniques for Nonvisual Touchscreen Text Entry" in *IAENG Transactions on Engineering Sciences*, April 2015, Print ISBN: 978-981-4667-35-7, Online ISBN: 978-981-4667-37-1, Chapter 28, pp. 372-386, DOI: 10.1142/9789814667364_0028, published by World Scientific, Available: http://www.worldscientific.com/doi/abs/10.1142/9789814667364_0028
- [22] Monir Bhuiyan, Mahdi H. Miraz, and Likhon Banik, "Automated Generation of Learning Materials for Children with Special Needs in Converged Platforms Using Android" (Invited Paper) in *Advanced and Applied Convergence Letters (AACL): Advanced and Applied Convergence and Advanced Culture Technology*, ISSN:

- 2288-6060, vol. 3, pp. 246-249, published by The Institute of Internet, Broadcasting and Communication, Jeju Island, Korea, 13 November 2014.
- [23] Monir Bhuiyan, Ambreen Zaman and Mahdi H. Miraz, "Usability Evaluation of a Mobile Application in Extraordinary Environment for Extraordinary People" in the proceedings of the International Conference on eBusiness, eCommerce, eManagement, eLearning and eGovernance (IC5E 2014), held at University of Greenwich, London, UK, 30-31 July 2014, pp. 96-103, ISBN-13: 978-81-925233-2-3, DOI: 10.978.819252/12226, Available: <http://edlib.asdf.res.in/2014/ic5e/ic5e2014015.pdf>.
- [24] Mohammed Fakrudeen, Mahdi H. Miraz, and Peter Excell, "Success Criteria for Implementing Technology in Special Education: a Case Study," in the proceedings of the fifth international conference on Internet Technologies and Applications (ITA 13) held at Creative and Applied Research for the Digital Society (CARDS), Glyndŵr University in Wrexham, North East Wales, UK, 10-13 September 2013, pp. 226-235, ISBN-10: 0-946881-81-2, ISBN-13: 978-0-946881-81-9, DOI: 10.13140/2.1.2650.6567, Available: <https://www.researchgate.net/publication/259864914>.
- [25] Mukhtar M. Rana, Mohammad Fakrudeen, Mahdi H. Miraz, Sufian Yousef, and Alshammari Abderrahman Torqi, "INFORMATION AND COMMUNICATION TECHNOLOGY (ICT) AND SPECIAL EDUCATION SYSTEM IN THE KINGDOM OF SAUDI ARABIA: A CASE STUDY," in the proceeding of The HCI International 2011 Conference, vol. 174, Florida, USA, 9-14 July 2011, pp. 534-538, Print ISBN: 978-3-642-22094-4, Online ISBN: 978-3-642-22095-1, Series ISSN: 1865-0929, Publisher: Springer Berlin Heidelberg, DOI: 10.1007/978-3-642-22095-1_107, Available: http://link.springer.com/content/pdf/10.1007%2F978-3-642-22095-1_107.
- [26] Maaruf Ali and Mahdi H. Miraz, "Cloud Computing Applications," in the Proceedings of the International Conference on Cloud Computing and eGovernance - ICCCEG 2013 held at Internet City, Dubai, United Arab Emirates, 19-21 June 2013, pp. 1-8, Ed. Manikandan Ayappan, published by Assoc. of Scientists, Developers and Faculties, ISBN: 978-81-925233-2-3, Available: https://www.researchgate.net/publication/255749774_Cloud_Computing_Applications.
- [27] Maaruf Ali and Mahdi H. Miraz, "Recent Advances in Cloud Computing Applications and Services", International Journal on Cloud Computing (IJCC), ISSN 1982-9445, vol. 1, no. 1, pp. 1-12, February 2014, DOI: 10.1007/CC8554885.14.01, Available: <http://asdfjournals.com/ijcc/ijcc-issues/ijcc-v1i1y2014/ijcc-001html-v1i1y2014/>.



© 2018 by the author(s). Published by Annals of Emerging Technologies in Computing (AETiC), under the terms and conditions of the Creative Commons Attribution (CC BY) license which can be accessed at <http://creativecommons.org/licenses/by/4.0/>.